



VIEWBOARD

ViewBoard IFP7533-G


Główne cechy

- Integrated with myViewBoard software
- Multi-tasking capabilities for enhanced lesson delivery
- Embrace simplicity and organization with the USB-C one-cable solution, offering 65W of Power Delivery.
- Intuitive user interface and fast app launch for smooth operation
- Powered by Android 13



Opis produktu

The ViewBoard IFP33-G Series harmonizes a touch display with versatile software to create a comprehensive classroom solution for interactive and engaging learning. This interactive flat panel delivers exceptional image quality in 4K UHD, thanks to cutting-edge bonding technology that provides clearer colors, enhanced contrast, and reduced glare. The 40-point touchscreen interface, equipped with Ultra Fine Touch Technology, empowers students and teachers to collaborate seamlessly, using either their fingers or dual-tip pens, for an intuitive pen-on-paper experience. Powerful built-in front-facing speakers and a USB-C port sort out for a complete and convenient multimedia experience. The ViewBoard IFP33-G Series is preinstalled with myViewBoard to offer advanced lesson delivery options for teachers and powerful device management tools for administrators.



1. POWER ON/OFF
2. USB C
3. HDMI 1
4. TOUCH 1
5. USB 3.0x2
6. OPS Slot
7. RS-232

8. LAN
9. USB 2.0x2
10. TOUCH 2
11. HDMI 2
12. HDMI 3
13. HDMI OUT
14. USB

15. VESA® Wall Mount (800x400mm)
16. SPDIF
17. AUDIO in
18. AUDIO out
19. VGA
20. Power On/OFF
21. AC IN

22. Wi-Fi Slot
23. Sensor Mount

Odwiedź Nas

www.viewsonic.com

WYŚWIETLACZ

Rozmiar panelu:	75"
Typ panelu:	TFT LCD Module with DLED Backlight. IPS
Obszar wyświetlania (mm):	1649.664(H) x 927.936(V) (74.6" diagonal)
Proporcje obrazu:	16:9
Rozdzielczość:	UHD 3840x2160(Pixels)
Colors:	1.07B colors
Jasność:	450 nits
Współczynnik kontrastu:	5000:1 (max. with DCR enabled)
Czas reakcji:	8ms
Kąty widzenia:	H=178, V=178
Czas pracy podświetlenia:	50,000 Hours (8 hours of use per day)
Obróbka powierzchni:	Hardness: 7H Anti-glare coating
Orientacja:	Landscape

PLATFORMA

Procesor:	Quad-core ARM Cortex (A55*4)
RAM:	8GB DDR4
Pamięć masowa:	128 GB

TOUCH

Rodzaj/Technologia:	Ultra Fine Touch Technology
Punkt dotyku:	40 points touch

INPUT

HDMI:	HDMI-IN 2.0 x 3 (3840x2160 @60Hz)
RGB / VGA:	x1
Dźwięk:	x1
RS232:	x1
OPS:	x1 (Optional Intel Standard OPS)
WiFi:	x1 (Optional VB-WIFI-004/VSB050)

OUTPUT

HDMI:	HDMI 2.0 x1
Dźwięk:	x1
SPDIF:	x1

SIEĆ LOKALNA

RJ45:	x2
-------	----

USB

Typ A:	USB3.0 x4 (Front x2, Rear x2); USB2.0 x1
Typ B:	x2 (Front x1, Rear x1)

PAKIET OPROGRAMOWANIA

Basic Annotation Software:	myViewBoard Whiteboard
Pro Annotation Software:	myViewBoard for Windows (Embedded in optional Windows Slot-in PC)
Wireless Presentation:	myViewBoard Display
Bezprzewodowa prezentacja z informacjami zwrotnymi dotykowymi: Viewboard Cast:	Yes

CECHY SZCZEGÓLNE

All-in-one USB port:	(combine slot-in PC/ Android/HDMI USB port) Front "SmartPort™ USB" to all channels.
Proste udostępnianie LAN między IFP a urządzeniem typu "slot-in":	10/100M for Android & Slot-in PC
Light Sensor:	Yes

MOC

Napięcie:	100-240V AC
Zużycie energii:	ON: 106W ; Off: ≤ 0.5W

ERGONOMICS

Uchwyt do montażu na ścianie (standard VESA®):	800x400
--	---------

OPERATING CONDITIONS

Temperatura (° C):	0°C to 40°C
Wilgotność powietrza:	20% ~ 80% RH non-condensing

WYMIARY (S X W X G)

Wymiary fizyczne (cale / mm):	1709 x 1020 x 88 mm / 67.3 x 40.2 x 3.5 in
Opakowanie (cale/mm):	1863 x 1140 x 225 mm / 73.3x 44.9 x 8.6 in

WEIGHT

Waga netto (lb / kg):	104.3lb/47.3kg
Brutto (lb/kg):	133.5lb/60.55kg

REGULATIONS

FCC/ICES003, EPEAT, CE EMC, LVD or CB, RoHS Green BOM & RoHS DoC, ErP, REACH SVHC List & DoC, EEL, WEEE, BSMI,BIS

ZAWARTOŚĆ OPAKOWANIA

1. 3m power cord by ship area 2. Remote control with AAA battery 3. 3m touch USB cable 4. Touch pen x 2 (VB-PEN-009) 5. Quick Start Guide + Compliance statement 6. RS232 adapter 7. Clamp x 5 8. Camera Plate 9. Screw x 8 (camera 2+2, wall mount 4) 10. HDMI cable 3m

KOMPATYBILNY KOMPUTER TYPU SLOT-IN

VPC35-W53-G1/VPC37-W53-G1

GIOSNIKI

1x2
20Wx2

Frontx1 (PD65W +
DP1.2 + Data USB2.0

TOP CAMERA PLATE

Yes

ZINTEGROWANY SYSTEM OPERACYJNY

Android 13

Copyright © ViewSonic Corporation 2000-2024. All rights reserved.